

***Developing Java Applications with
OSGi
Emerging Technologies for the Enterprise 2008***

**Michael P. Redlich
March 26, 2008**

My Background (1)



🏠 Degree

- ❑ B.S. in Computer Science
- ❑ Rutgers University (go **Scarlet Knights!**)

🏠 ExxonMobil Research & Engineering

- ❑ Senior Research Technician (1988-1998, 2004-present)
- ❑ Systems Analyst (1998-2002)

🏠 Ai-Logix, Inc.

- ❑ Technical Support Engineer (2003-2004)

🏠 Amateur Computer Group of New Jersey (ACGNJ)

- ❑ Java Users Group Leader (2001-present)
- ❑ President (2007-present)
- ❑ Secretary (2006)



My Background (2)



📖 Publications

- ❑ Java Boutique (<http://www.javaboutique.com/>)
 - ❖ Co-authored with Barry Burd
 - ❖ Design Patterns
- ❑ <http://publications.redlich.net/>

📄 Presentations

- ❑ Trenton Computer Festival (TCF) since 1998
- ❑ TCF IT Professional Seminars since 2006
- ❑ Princeton Java Users Group
- ❑ Capital District Java Developers Network
- ❑ New York Software Industry Association (NYSIA)

Other OSGi-Related Seminars at ETE 2008



OSGi with Spring DM

- Dmitry Sklyut
- Wednesday, March 26
- 5:15 - 6:15pm
- Behrakis Grand Hall (South)

2010: An Acronym Odyssey

- Brian O'Neill, Technical Architect, Gestalt LLC
- Wednesday, March 26
- 5:15 - 6:15pm
- MacAlister 4011

Objectives



🚀 What is OSGi?

- OSGi Alliance
- OSGi Frameworks
- OSGi Layers
- How to interact with the framework

🚀 Develop a first OSGi bundle

🚀 Develop a more “Real-World” application

🚀 Source code, source code, source code (*yea!*)

What is OSGi?



- ▲ **Open Services Gateway initiative (OSGi)**
- ▲ **Originally designed to promote dynamic systems for embedded Java and network devices**
- ▲ **Foundation for an enhanced service-oriented architecture**
 - **Defines a standardized, component-oriented environment**
 - **Applications can be started, stopped, updated, and uninstalled without requiring the JVM to be restarted**

OSGi to the Rescue!



🏠 Component issues

- Installation
- Start and stop
- Manage multiple versions
- Update
- Uninstall

🏠 JAR file dependency issues

- `Class-Path` attribute in MANIFEST file
- Versioning in file name



- ▲ A non-profit organization formed in March 1999
- ▲ “...a worldwide consortium of technology innovators that advances a proven and mature process to assure interoperability of applications and services based on its component integration platform.”
- ▲ “...provides specifications, reference implementations, test suites and certification to foster a valuable cross-industry ecosystem.”



OSGi Frameworks



- ▲ Eclipse Equinox (3.3.2)
- ▲ Apache Felix (1.0.3)
- ▲ Knopflerfish (2.0.5)
- ▲ Spring OSGi Modules (1.0.1)
- ▲ Newton (0.2)



OSGi Framework Layers



▲ Modules

- Class loading policies

▲ Life Cycle


- Bundle management

▲ Service Registry

- Communication among bundles
- Service discovery

▲ Security Layer

- Spans all other layers



Modules Layer



- ▲ Defines class loading policies
- ▲ Every bundle can export and import packages
 - A package is always exported with a unique version
 - A bundle can specify a range of versions that it can import
- ▲ Supports multiple class spaces where multiple versions of the same class can be used simultaneously
- ▲ Ensures that bundles can bind to a new exporting package should the original one be uninstalled

Life Cycle Layer



▲ Defines how bundles are installed, updated, and uninstalled

❑ UNINSTALLED

❑ INSTALLED

- ❖ Framework has the bundle
- ❖ Dependencies not resolved

❑ RESOLVED


- ❖ Dependencies resolved
- ❖ Bundle can be started

❑ STARTING

❑ STOPPING

❑ ACTIVE

- ❖ Bundle is running



Basic APIs to Interact with the Framework



- ▲ Bundle
- ▲ BundleActivator
- ▲ BundleContext
- ▲ ServiceRegistration
- ▲ ServiceTracker
- ▲ ServiceReference

Bundles



- ▲ A “module” or “plug-in”
- ▲ Packaged in a JAR file
 - Java CLASS files and other resources
 - Special MANIFEST file
- ▲ Started through a `BundleActivator`
- ▲ Each of the frameworks support special bundles
 - e.g., system bundle that represents the framework

```
Manifest-Version: 1.0
Bundle-Name: Basic Movie Finder
Bundle-Activator:
    org.emergingtech.BasicMovieFinderActivator
Bundle-SymbolicName: org.emergingtech.basicmoviefinder
Bundle-Version: 1.0.0
Import-Package: org.emergingtech;version="[1.0.0,2.0.0)"
Export-Package: org.emergingtech;version="1.0.0"
```

Specifies the name of the class used to start and stop the bundle

Defines a human-readable name (that may contain spaces) for this bundle

Declares imported (including version ranges) and exported packages for this bundle

Specifies a unique, global name for this bundle

BundleActivator



- ▲ An interface that may be implemented to start and stop a bundle
- ▲ Created by the framework as specified through the `Bundle-Activator` entry in the manifest file
 - Fully-qualified Java class name

```
void start(BundleContext context);  
void stop(BundleContext context);
```


BundleContext



▲ A bundle's execution context within the framework

- A “magic ticket” maintained by the framework

▲ Created by the framework when a bundle is started

▲ `BundleContext` allows a bundle to:

- Install new bundles

- Interrogate other bundles

- Register services with the Service Registry

- Subscribe to/consume registered services

- Retrieve a list of `ServiceReferences` from the Service Registry

And Now For...



🚀 ...our first OSGi example?

Are You Ready?





- ▲ Bundles registered with the Service Registry
 - Services “live” in the Services Registry
- ▲ Registered under a Java interface and an optional set of properties
- ▲ The framework automatically unregisters all services from a bundle that is stopped
 - Notifies all of its dependents
- ▲ Services can be tracked and retrieved



Registering a Service

- ▲ To register a service with the framework, use `BundleContext.registerService()` method
- ▲ Returns a `ServiceRegistration` object

```
MovieFinder finder = new BasicMovieFinder();  
  
ServiceRegistration registration =  
context.registerService(MovieFinder.class.getName(), finder  
, properties);
```

Register the specified service, `finder`, with an optional set of specified properties under the specified class name, `MovieFinder`

Consuming a Service



- 🏠 A separate bundle that is interested in using a registered service
- 🏠 To discover and retrieve services, use `ServiceTracker`

```
ServiceTracker tracker = new  
ServiceTracker(context, MovieFinder.class.getName(), null);  
  
tracker.open();  
  
MovieFinder finder = (MovieFinder) tracker.getService();
```

Creates a `ServiceTracker` object for the specified class name, i.e., the `MovieFinder` service

Returns a `MovieFinder` service being tracked by `ServiceTracker`

Start tracking instances of `MovieFinder`, i.e., the service, registered in the Service Registry

ServiceRegistration



- ▲ A registered service
- ▲ For the private use of the registering bundle
 - Should not be shared with other bundles
 - Object returned upon a successful call to `BundleContext.registerService()`
- ▲ Used to update the properties of the service or to unregister the service
- ▲ Every service registered in the framework has a unique `ServiceRegistration` object



- ▲ Simplifies using services from the framework's service registry
 - Abstracts away all the gory details of dealing with the Service Registry
- ▲ `BundleContext` can also retrieve services, but requires additional maintenance

ServiceReference



- ▲ A reference to a service
- ▲ A lightweight handle
- ▲ Provides access to a service's properties but not the actual service object
 - The service object must be acquired through a bundle's `BundleContext`
 - Can be queried by a bundle to assist in the selection of a service
- ▲ Avoids creating unnecessary dynamic service dependencies among bundles

And Now For...



🚀 ...a more “real-world” example (*woo-hoo!*)


Are You Ready?



MovieLister Application



Movie Application (Basic)



OSGi Resources (1)



🏠 Equinox

☐ <http://www.eclipse.org/equinox/>

🏠 Apache Felix

☐ <http://felix.apache.org/>

🏠 Knopflerfish

☐ <http://www.knopflerfish.org/>

🏠 Spring OSGi

☐ <http://www.springframework.org/osgi/>

🏠 Newton

☐ <http://newton.codecauldron.org/>

OSGi Resources (2)



▲ OSGi Alliance

- <http://www.osgi.org/>

▲ OSGi Technical Whitepaper

- <http://www.osgi.org/wiki/uploads/Links/OSGiTechnicalWhitePaper.pdf>

▲ OSGi Best Practices Presentation

- <http://www.osgi.org/wiki/uploads/Conference/OSGiBestPractices.pdf>

▲ Getting Started with OSGi

- Neil Bartlett's Point-Free Blog

- <http://www.neilbartlett.name/blog/osgi-articles/>

Java Resources



🏠 ACGNJ Java Users Group

- ☐ facilitated by Mike Redlich

- ☐ <http://www.javasig.org/>

🏠 Princeton Java Users Group

- ☐ facilitated by Yakov Fain

- ☐ <http://www.myflex.org/princetonjug/>

🏠 NYJavaSIG

- ☐ facilitated by Frank Greco

- ☐ <http://www.javasig.com/>

🏠 Chariot Solutions

- ☐ <http://www.chariotsolutions.com/>

